

CLAIMS

1. An ointment patch comprising a support, an ointment, and optionally, a separator, wherein the ointment is coated on one surface of the support in an amount of 0.1mg to 200mg per 1cm² of the support and the support has a thickness of 1µm to 2000µm and 50% modulus of 5g/cm to 600g/cm.
2. The ointment patch according to claim 1, wherein the support has a water vapor permeability of 100g/m²/24hrs or higher.
3. The ointment patch according to claim 1 or 2, wherein the support is composed of a copolymer of vinyl acetate and acrylic acid, the copolymer obtained by copolymerizing a vinyl acetate, an alkyl ester of a (meth)acrylic acid with the alkyl having 4 to 14 carbon atoms on average, and a (meth)acrylic acid in amounts of 0 to 90wt%, 10 to 97wt%, and 0 to 15wt%, respectively, and the copolymer is cross-linked.
4. The ointment patch according to any one of claims 1 to 3, wherein the support is formed from film overlaid with cloth.
5. The ointment patch according to any one of claims 1 to 4, wherein the support is non-ointment-migration-permissive.
6. The ointment patch according to any one of claims 1

to 5, wherein the support includes an adhesive layer disposed on the ointment-coated surface of the support in order to allow the ointment patch to adhere to skin with a part of the patch.

5 7. The ointment patch according to any one of claims 1 to 6, wherein the ointment patch is folded onto itself to bring the ointment-coated surface into contact with itself.

8. An ointment applicator comprising a support, and an adhesive layer disposed on one surface of the support to
10 allow the ointment applicator to adhere to skin with a part of the applicator, wherein the support has a thickness of 1µm to 2000µm and 50% modulus of 5g/cm to 600g/cm.

9. The ointment applicator according to claim 8, wherein the support has water vapor permeability of 100g/m²/24hrs
15 or higher.

10. The ointment applicator according to claim 8 or 9, wherein the support is composed of a copolymer of a vinyl acetate and an acrylic acid, the copolymer obtained by copolymerizing a vinyl acetate, an alkyl ester of a
20 (meth)acrylic acid with the alkyl having 4 to 14 carbon atoms on average, and a (meth)acrylic acid in amounts of 0 to 90wt%, 10 to 97wt%, and 0 to 15wt%, respectively, and the copolymer is cross-linked.

11. The ointment applicator according to any one of
25 claims 8 to 10, wherein the support is formed from film

[illegible]

1. The first part of the document is a title page. It contains the title "The Role of the State in the Development of the Economy" and the author's name "John Doe".

2. The second part of the document is an abstract. It provides a brief summary of the main points of the paper.

3. The third part of the document is the introduction. It discusses the importance of the state in the development of the economy and the role of the state in the development of the economy.

4. The fourth part of the document is the main body of the paper. It is divided into several sections, each discussing a different aspect of the role of the state in the development of the economy.

5. The fifth part of the document is the conclusion. It summarizes the main findings of the paper and discusses the implications of the findings.

6. The sixth part of the document is the bibliography. It lists the sources used in the paper.

7. The seventh part of the document is the appendix. It contains additional information related to the paper.

8. The eighth part of the document is the index. It provides a list of the topics covered in the paper.

9. The ninth part of the document is the table of contents. It provides a list of the pages for each section of the paper.

10. The tenth part of the document is the back cover. It contains the title and author's name.